















Assembly Instructions

ITEM Tall Cabinet (Four Door)

STEP 1

Ensure that your parcel contains the following parts before proceeding with assembly - and lay them out as below:

Item	Picture	Quantity
Castor		4
Cam Lock		16 
Cam Bolt		16 
15mm Screw		32
Shelf Peg		132
Large Dowel		9
Door Knob		4
Door Knob Screw		4
Screw to attach feet		4
Hinge & Back Plate		8
Door Stops		4



STEP 2

Screw the cam bolts into the holes marked with red circles and the cam locks into the holes marked with blue circles (take care not to push the cam locks too far into the holes)

STEP 3

Attach the two left hand sides, two right hand sides and two centre dividers together with the large dowels provided.

STEP 4

Keeping the support bar laying on the floor fix the right and left hand sides to the centre support bar by inserting the cam bolts into the holes in the ends of the support bar and tighten the cam locks (should be turned about half a rotation - do NOT over tighten) - at this point it is helpful to have two people so the that sides remain supported

STEP 5

Slide the back panels in to the grooves in the sides until they are against the centre support bar.

STEP 6

Fix the top to the sides and tighten the Cam Locks These should be turned approximately a quarter to a half turn until tight. DO NOT over tighten the Cam Locks.

STEP 7

Insert the centre divider panel onto the cam bolts that are still showing on the top and tighten the cam locks

STEP 8

Fix the base to the left and right hand sides and centre divider and tighten the cam locks.

STEP 9

Carefully stand the unit onto its top and attach the feet to the base using the screws provided.

STEP 10

Stand the unit onto its feet and insert 6 shelf pegs per shelf - 4 to support the shelf and 2 above it at the back to lock it into place. Insert these pegs at spacings to suit your choice of boxes. Finally place the shelves onto the pegs so that they are locked into place.

**If you have any queries during assembly please call us on
0845 644 5086.**

www.storage4crafts.co.uk

Telephone: 0845 644 5085.

enquiries@storage4crafts.co.uk

Pathfields Business Park,
South Molton, Devon, EX36 3LL

storage
4 CRAFTS

Push the hinges into the large holes on the doors and attach using the 15mm screws provided.

Attach the hinge back plates to the sides using the pre drilled holes and the 15mm screws provided.

Attach the knobs to the doors

Slide the hinge onto the back plate and secure by tightening the locking screw at the back. Ensure you have the hinge correctly inserted before tightening the screw or the door will not align properly.

Once all of the doors are attached you can adjust the hinges by turning the adjustment screw at the front of the hinge clockwise or counter clockwise to alter the position of the door. The height of the door can also be adjusted by loosening the screw that attach the back plates and then adjusting the door up or down.

Finally stick the four door stops to the front of the centre divider.

www.storage4crafts.co.uk

Telephone: 0845 644 5085.

enquiries@storage4crafts.co.uk

Pathfields Business Park,
South Molton, Devon, EX36 3LL

storage
4 CRAFTS